according to 1907/2006/EC, Article 31



Printing date 14.09.2022 Version number 1 Revision: 22.07.2022 Page 1

FOME FLEX HYDRO DEFENCE GLUE-MASTIC

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: FOME FLEX HYDRO DEFENCE GLUE MASTIC

Article number: D-3150

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Construction chemicals

Hydrophobing agent/ water repellent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier

JSC TEGRA STATE, Savanoriu ave. 178A, LT-03154 Vilnius Tel./fax +370 5 266 11 67, info@tegra.lt, www.tegrastate.lt

1.4 Emergency telephone number:

European emergency number: 112 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





according to 1907/2006/EC, Article 31



Printing date 14.09.2022 Version number 1

Revision: 22.07.2022

Page 2

FOME FLEX HYDRO DEFENCE GLUE-MASTIC

Signal word Warning

Hazard-determining components of labelling:

Hydrocarbons, C9-unsaturated, polimerized

1,2-benzisothiazol-3(2H)-one

Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 71302-83-5	Hydrocarbons, C9-unsaturated, polimerized	<3%
Reg. nr.: 01-2119555292-40-XXXX	♦ Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 68131-39-5	alcohols, C12-15, ethoxylated	<0,5%
	Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302	
CAS: 61790-33-8	Amines, tallow alkyl	<1%
EINECS: 263-125-1	♦ STOT RE 2, H373; Asp. Tox. 1, H304; ♦ Skin Corr. 1B,	
	H314; � Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); • Acute Tox. 4, H302	
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one	<0,05%
	Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	



according to 1907/2006/EC, Article 31



Printing date 14.09.2022 Version number 1 Revision: 22.07.2022 Page 3

FOME FLEX HYDRO DEFENCE GLUE-MASTIC

CAS: 13463-41-7	Pyrithione zinc	<0,1%		
		 ♦ Acute Tox. 3, H301; Acute Tox. 2, H330; ♣ Repr. 1B, H360D; STOT RE 1, H372; ♠ Eye Dam. 1, H318; ♠ Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=10) 		

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Personal protection for the First Aider.

Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact:

Rinse opened eye for several minutes under running water.

Seek medical treatment.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam. For safety reasons unsuitable extinguishing agents: Water spray

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide (CO).

5.3 Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.



according to 1907/2006/EC, Article 31



Printing date 14.09.2022

Version number 1

Revision: 22.07.2022

Page 4

FOME FLEX HYDRO DEFENCE GLUE-MASTIC

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Refer to section 8.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers / surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Absorb liquid components with liquid-binding material.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation / exhaustion at the workplace.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
CAS: 8052-42-	-4 asphalt	
Inhalative	DNEL	0.6 mg/m³ (General population, consumers)
		2.9 mg/m³ (Workers)



according to 1907/2006/EC, Article 31



Printing date 14.09.2022

Version number 1

Revision: 22.07.2022

Page 5

FOME FLEX HYDRO DEFENCE GLUE-MASTIC

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A (EN 14387)

Hand protection



Protective gloves

EN 374

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

Polyethylene gloves.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Short term contact: ≥10 min (EN 374)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses

EN 166

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: According to product specification

Colour: Odour:

Odour threshold:

Not determined

Melting point/freezing point:

Not determined

Boiling point or initial boiling point and boiling range

Not determined

Flammability Not applicable



Odourless

according to 1907/2006/EC, Article 31



Printing date 14.09.2022 Version number 1

Revision: 22.07.2022

Page 6

FOME FLEX HYDRO DEFENCE GLUE-MASTIC

Lower and upper explosion limit

Lower:Not determinedUpper:Not determinedFlash point:Not applicableDecomposition temperature:Not determined

pH at 20 °C

Viscosity:

Kinematic viscosity

Dynamic:

Not determined

Not determined

Solubility

water: Not miscible or difficult to mix

Partition coefficient n-octanol/water (log value)

Vapour pressure:

Not determined

Not determined

Density and/or relative density

Density at 20 °C: 0.98-1.3 g/cm³
Relative density Not determined
Vapour density Not determined

9.2 Other information

Appearance:

Form: Paste

Important information on protection of health and environment, and on safety.

Auto-ignition temperature: Product is not selfigniting Explosive properties: Product does not present an

explosion hazard

Change in condition

Evaporation rate Not determined

Information with regard to physical hazard classes

Void **Explosives** Void Flammable gases Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Void Oxidising liquids Oxidising solids Void Organic peroxides Void Corrosive to metals Void Desensitised explosives Void



according to 1907/2006/EC, Article 31



Printing date 14.09.2022 Version number 1

Revision: 22.07.2022

Page 7

FOME FLEX HYDRO DEFENCE GLUE-MASTIC

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5** Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:		
CAS: 61790-33-8 Amines, tallow alkyl		
Oral	LD50	500 mg/kg (ATE)
CAS: 71302-83-5 Hydrocarbons, C9-unsaturated, polimerized		
Oral Dermal Inhalative	LD50 LD50 LD50	>2.000 mg/kg (rat) (OECD 423) >2.000 mg/kg (rat) (OECD 402) >5 mg/l (rat) (OECD 403)
CAS: 13463-41-7 pyrithione zinc		
Oral	LD50	100 mg/kg (ATE)

Skin corrosion/irritation Based on available data, the classification criteria are not met. **Serious eye damage/irritation** Based on available data, the classification criteria are not met. **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met. **Carcinogenicity** Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

 $\textbf{STOT-repeated exposure} \ \textbf{Based on available data}, the \ \textbf{classification criteria are not met}.$

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties None of the ingredients is listed.



according to 1907/2006/EC, Article 31



Printing date 14.09.2022 Version number 1 Revision: 22.07.2022 Page 8

FOME FLEX HYDRO DEFENCE GLUE-MASTIC

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:	
CAS: 7130	2-83-5 Hydrocarbons, C9-unsaturated, polimerized
EC50	>100 mg/l (algae) (OECD 201)
	54 mg/l (daphnia) (OECD 202)
LC50	25,8 mg/l (fish) (OECD 203)

- **12.2** Persistence and degradability No further relevant information available.
- **12.3** Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark: Harmful to fish

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose of in a safe manner in accordance with local / national regulations.

Do not allow to enter surface or ground water.

Assigning a code from the waste catalogue depends on the sector, in which the user operates, as well as on arrangements made between the waste generator and a competent environment protection department. Substance/mixture as a waste compound brings hazardous properties HP: 14

• European waste catalogue	
15 01 10*	packaging containing residues of or contaminated by hazardous substances
HP14	Ecotoxic

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations



according to 1907/2006/EC, Article 31



Printing date 14.09.2022 Version number 1 Revision: 22.07.2022 Page 9

FOME FLEX HYDRO DEFENCE GLUE-MASTIC

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA atkrenta

14.2 UN proper shipping name

ADR, IMDG, IATA atkrenta

14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA

Class atkrenta

14.4 Packing group

ADR, IMDG, IATA atkrenta

14.5 Environmental hazards: Nevartotina.

14.6 Special precautions for user Nevartotina.

14.7 Maritime transport in bulk

according to IMO instruments Nevartotina.

UN "Model Regulation": atkrenta

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

1907/2006/CE Regulation, UK REACH 1272/2008/CE Regulation, GB CLP 2020/878/UE Regulation

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer – ANNEX I (Ozone- depleting potential)

Other regulations, limitations and prohibitive regulations No restrictions

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



according to 1907/2006/EC, Article 31



Printing date 14.09.2022

Version number 1

Revision: 22.07.2022

Page 10

FOME FLEX HYDRO DEFENCE GLUE-MASTIC

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Repr. 1B: Reproductive toxicity – Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

 $A quatic \ Chronic \ 3: Hazardous \ to \ the \ aquatic \ environment - long-term \ aquatic \ hazard - Category \ 3$

