according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



## TRADE NAME: DECOR GRANITE, INRAL

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: INRAL GRANITE

(Article number) product ID.: 26-8-2-001

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Sector of Use** SU21 Consumer uses: Private households / general public / consumers

Application of the substance / the mixture: painting

**Uses advised against** No further relevant information available.

#### 1.3 Details of the supplier of the safety data sheet

## Manufacturer/Supplier:

**UAB TEGRA STATE** 

Savanoriu ave.178A, LT-03154 Vilnius, LITHUANIA

Tel.: +37052661167 www.tegrastate.eu

E-mail: info@tegragroup.eu

Further information obtainable from: Product safety department

## 1.4 Emergency telephone number:

112

National Poisons Information Service, Birmingham

Tel.: 844 892 0111

Lithuania Poisons Control and Information Bureau, Vilnius

Tel.: +370 5 236 20 52 / +370 687 533 78

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



flame

Aerosol 1

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

## 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

**Hazard pictograms** 



3ПЗ02





according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



## TRADE NAME: DECOR GRANITE, INRAL

### Signal word Danger Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### **Additional information:**

Without adequate ventilation, explosive atmosphere/gas mix may be created.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

## 3.1 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:			
CAS: 115-10-6 EINECS: 204-065-8 Reg.nr.: 01-2119472128-37-xxxx	dimethyl ether	25-<50%	
	Flam. Gas 1A, H220; Press. Gas (Comp.), H280, EUH018		
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one	≥0.025-<0.05%	
	Eye Dam. 1, H318; �Aquatic Acute 1, H400; Aquatic Chronic 1, H410;		
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317 Konkreti koncentracijos riba: Skin Sens. 1B; H317:C ≥ 0,05 %		
CAS: 55965-84-9 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl-2H-isothiazol-3- one (3:1)	≥0.00025-<0.0015%	
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ♦ Skin Corr. 1C, H314; Eye Dam. 1, H318; ♠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ♠ Skin Sens. 1A, H317 Konkrečios koncentracijos ribos: Skin Corr. 1C;H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 %		

**Additional information:** For the wording of the listed hazard phrases refer to section 16.



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



# TRADE NAME: DECOR GRANITE, INRAL

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### After inhalation:

Supply fresh air; consult doctor in case of complaints.

#### **After skin contact:**

Generally the product does not irritate the skin.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

If symptoms persist consult doctor.

- **4.2** Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media -

Suitable extinguishing agents: Cool container whit water

- **5.2** Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

## **6.2 Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Information about fire - and explosion protection:



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: DECOR GRANITE, INRAL

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

# 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

**7.3 Specific end use(s)** No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
115-10-6 dimethyl ether		
WEL	Short-term value: 958 mg/m³, 500 ppm	
	Long-term value: 766 mg/m³, 400 ppm	

**Additional information:** The lists valid during the making were used as basis.

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see item 7.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

### **Respiratory protection:**



Jei tirpiųjų medžiagų koncentracija viršyja MAK ribines vertes, reikia užsidėti tam tikslui skirtą kvėpavimo takų apsauginę įrangą.

Puskaukė su mažiausiai filtravimo klasės A1P2 kombinuojamu filtru arba atskirai teikiamo oro kvėpavimo takų apsauginė įranga.

#### **Hand protection**

Protective gloves



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves Nitrile rubber, NBR



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



## TRADE NAME: DECOR GRANITE, INRAL

#### Penetration time of glove material

Gloves must be changed after every contamination.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

butyl rubber, 0,7mm

**Eye/face protection** 

Not required

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Aeroso

**Colour:** According to product specification

Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

**Boiling point or initial** 

boiling point and boiling

range -24.9 °C Flammability Not applicable.

Lower and upper explosion limit

**Lower:** 3 Vol % (115-10-6 dimethyl ether) **Upper:** 18.6 Vol % (115-10-6 dimethyl ether)

Flash point: <0 °C

**Decomposition temperature:** Not determined. pH Not determined.

Viscosity:

**Kinematic viscosity Dynamic:**Not determined.
Not determined.

Solubility

water: Not miscible or difficult to mix.

**Partition coefficient** 

**n-octanol/water (log value)** Not determined.

**Vapour pressure at 20 °C:** 3,400 hPa (115-10-6 dimethyl ether)

Density and/or relative density

**Relative density Vapour density**Not determined.
Not determined.

#### 9.2 Other information

**Appearance:** 

Form: Aerosol

Important information on protection of health and environment, and on safety.

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Not determined.

Solvent content:



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



## TRADE NAME: DECOR GRANITE, INRAL

**Organic solvents:** 30.0 %

With propellant gas. Content given by weight.

Water: VOC (EU) 30.05 % **Solids content:** 7.6 %

Change in condition

**Evaporation rate** Not applicable.

Information with regard

to physical hazard classes

Void **Explosives** Void Flammable gases

**Aerosols** Extremely flammable aerosol. Pressurised container:

May burst if heated.

**Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable

gases in contact with water

Void **Oxidising liquids** Void **Oxidising solids** Void **Organic peroxides** Void **Corrosive to metals** Void **Desensitised explosives** Void

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5** Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



## TRADE NAME: DECOR GRANITE, INRAL

## **SECTION 11: Toxicological information**

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

None of the ingredients is listed.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Ikke relevant.

# 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

### 12.7 Other adverse effects

## Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

### **Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR, IMDG, IATA UN1950

## 14.2 UN proper shipping name

ADR 1950 AEROSOLS IMDG AEROSOLS

IATA AEROSOLS, flammable

## 14.3 Transport hazard class(es)

**ADR** 



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



## TRADE NAME: DECOR GRANITE, INRAL



Class 2 5F Gases. Label 2.1

IMDG, IATA



Class 2.1 Gases. Label 2.1

14.4 Packing group

ADR, IMDG, IATA Void

not classified

14.5 Environmental hazards:

Marine pollutant: No

**14.6 Special precautions for user** Warning: Gases.

Hazard identification number (Kemler code): -

not classified EMS Number: F-D,S-U

**Stowage Code** SW1 Protected from sources of heat.

SW2 Clear of living quarters.

**Segregation Code** SG69 For AEROSOLS with a maximum capacity of 1

litre:

Segregation as for class 9. Stow "separated from" class 1

except for division 1.4.

For AEROSOLS with a capacity above 1 litre:

Segregation as for the appropriate subdivision of class 2.

For WASTE AEROSOLS:

Segregation as for the appropriate subdivision of class 2.

14.7 Maritime transport in bulk according to IMO

**instruments** Not applicable.

Transport/Additional information: ADR

Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

**Transport category** 2 **Tunnel restriction code** D

**IMDG** 

Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

UN "Model Regulation": UN 1950 AEROSOLS, 2.1



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: DECOR GRANITE, INRAL

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC: <840q/l

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category P3a FLAMMABLE AEROSOLS

Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

**National regulations:** 

**Technical instructions (air):** 

Class	Share in %
Wasser	25-<50
NK	25-<50

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

#### 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH018 In use may form flammable/explosive vapour-air mixture.

### **Department issuing SDS:** Product safety department

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



## TRADE NAME: DECOR GRANITE, INRAL

EINECS: European Inventory of Existing Commercial Chemical Substances

**ELINCS: European List of Notified Chemical Substances** 

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases - Category 1A

Aerosol 1: Aerosols - Category 1

: Aerosols – Category 3

Press. Gas (Comp.): Gases under pressure - Compressed gas

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

\* Data compared to the previous version altered.

